



Spartan Truck Company

Phone: (818) 899-1111

Fax: (818) 897-4366

Email: info@spartantruck.com

www.spartantruck.com



SPARTAN
TRUCK COMPANY, INC.

Spartan Truck Company

12266 Branford Street
Sun Valley, CA 91352

(818) 899 1111
www.spartantruck.com

BUILT RIGHT, RIGHT NOW
SINCE 1972

Automated Side Loaders



SPARTAN 300

- Full Eject • 2000 Lb. Lift Capacity • Load Sense Hydraulics • Proportional Controls
- Features the Industry's First "Automated Clean-Out" Mechanism

Cable Hoists



SRO60

- 60,000 Lb. Capacity
- Modular Design & Standardized Parts
- High Speed Single Cylinder Reeving System



SRO30

- 30,000 Lb. Capacity
- High Speed Single Cylinder Reeving System



TITAN

- 60,000 Lb. Capacity
- Available as a Ship Out Kit
- High Speed Single Cylinder Reeving System

Dump Bodies



ATLAS SUPER 10

- Available in Other "Super" Configurations
- Body, Headsheet & Tailgate All AR500
- Lock/Latch Combo Aluminum Tailgate Cylinders



SUPERTAG

- Maximized Payload
- Body, Headsheet & Tailgate All AR500
- Lock/Latch Combo Aluminum Tailgate Cylinders

BUILT RIGHT, RIGHT NOW SINCE 1972

Trailers



STT-40 TRANSFER

- High Strength Steel Construction • Tare Weight: 8,900 Lbs.
- High Speed Single Cylinder Reeving System



SPT-40 PUP

- High Strength Steel Rail Tubes & Alloy Rollers
- Load, Unload & Dump without Disconnecting Pup
- High Speed Single Cylinder Reeving System



SBT-10 5 BIN

- High Strength Steel Construction
- Standard Built In Pump & Motor
- 3,000 PSI Hydraulic Bin Lift Cylinders

Container Handlers



SCT SCOUT TRUCK

- 2,500 Lb. System Capacity
- 3,000 PSI Lift Cylinders
- Multiple Variations Available



SCD BIN DELIVERY TRUCK

- Two Stage Lift Mast: 3,000 Lb. Payload Capacity
- 10 Gauge Split Steel Platform
- 360 Degree Rotator Option



Spartan Truck Company



spartan_truck



@spartantruck



Spartan Truck Company

www.spartantruck.com



SPARTAN

TRUCK COMPANY, INC.

ROLL OFF PRODUCT INFORMATION



Spartan Truck Company

Phone: (818) 899-1111

Fax: (818) 897-4366

Email: info@spartantruck.com

www.spartantruck.com



SPARTAN
TRUCK COMPANY, INC.

Spartan Truck Company

12266 Branford Street
Sun Valley, CA 91352

(818) 899 1111

www.spartantruck.com

Specification - Model # SRO60S - Standard Features



10" Mainframe Optimized for Weight Distribution



Quick Release Side Rollers




Parker, Muncie & Aeroquip Hydraulics



Premium Inside Control Console



Full LED Lights & One Piece Electrical Harness



**Heavy Duty 6" Bore x 4" Rod Hoist Cylinders
Heavy Duty 7" Bore x 4" Rod Reeving Cylinder**

Spartan Truck Company

12266 Branford Street
Sun Valley, CA 91352


(818) 899 1111
www.spartantruck.com



Premium Toolbox with Tarp Basket



Universal Lightbars



Pintle Plate Ready on All Stock Units



Stainless Steel Quarter Fenders



Manually Storable ICC Bumper



Wedge & Ferrell Cable Clamp System

Spartan Truck Company

12266 Branford Street
Sun Valley, CA 91352

(818) 899 1111
www.spartantruck.com

AVAILABLE OPTIONS



Scale Systems



Tarping Systems



Trailer Hitch Packages



Pusher Axles



Full Diamond Plate Fenders



Full Plastic Fenders

Spartan Truck Company

12266 Branford Street
Sun Valley, CA 91352

(818) 899 1111
www.spartantruck.com



Ground Roller



Automatic Bin Locks



Automated ICC Bumper



Compactor Hydraulics



Stinger Rail



Roller Guides

Spartan Truck Company

12266 Branford Street
Sun Valley, CA 91352

(818) 899 1111
www.spartantruck.com



Rear Facing Flood Lights



Reverse Creep (Manual Transmission)



Universal Rail System



Camera Systems

OTHER SERVICES



Single Function Wet Kit



Combination Wet Kits

Spartan Truck Company

12266 Branford Street
Sun Valley, CA 91352


(818) 899 1111
www.spartantruck.com



Spartan Truck Company

12266 Branford Street
Sun Valley, CA 91352

(818) 899 1111
www.spartantruck.com




Custom Toolboxes & Baskets



Headache racks & Cab Protectors



Custom Vehicles



Phone: (818) 899-1111

Fax: (818) 897-4366

Email: info@spartantruck.com

www.spartantruck.com

Spartan Truck Company

12266 Branford Street
Sun Valley, CA 91352

(818) 899 1111
www.spartantruck.com










SPARTAN
TRUCK COMPANY, INC.



SRO 60


STANDARD SPARTAN FEATURES

-  **60,000 LB CAPACITY**
-  **HIGH SPEED SINGLE CYLINDER REEVING SYSTEM**
-  **MODULAR DESIGN & STANDARDIZED PARTS**
-  **LIGHTWEIGHT DESIGN**
-  **HIGH STRENGTH DURABLE COMPONENTS**
-  **EASIER TO SERVICE BY DESIGN**
-  **QUICK LEADTIMES**

 (818) 899-1111

 (818) 897-4366

 info@spartantruck.com

 **Spartan Truck Company | 12266 Branford Street |
Sun Valley, CA 91352**




For over 40 years, Spartan Truck Company has been the market leader in manufacturing waste equipment on the west coast. We are proud of our quick lead times, high quality components, & extremely durable Roll-Off systems, trailers and waste bodies.



Standard Specifications

Capacity	60,000 lbs
Rail type	Outside, Universal or In/Out
Cable	3/4" x 77'
Cable Strength	66,800 lbs
Hoist Cylinders	6" Bore, 4" Rod x 74" Stroke
Reeving Cylinder	7" Bore, 4" Rod x 90" Stroke
Outside Control Valve	Commercial VA35
Inside Control Valve	Air Operated Dual Levers
Operating Pressure	1800 PSI
Hydraulic Tank	40G with Sight & Temp gauge
Filtration	Suction Strainer & 10 Micron in tank return filter
PTO	Muncie Air Shift or Hot Shift
Pump	Muncie Direct Mount P51
Sheaves	10" with bronze bushings
Container Size	16' – 24'
Dump Angle	44 – 50 Degrees
Body Weight	6,200 lbs Approx
Frame Rails	4" x 10" x 3/8" Rectangular Tubing ASTM A500
Outside Frame	34 1/2" or 35 1/2"
Outside Rollers	(6) 5" OD x 3 1/2" with extractable pins.
ICC Bumper	Fixed or Manually moveable with locking pin
Fenders	Stainless Steel Polished Quarter Fenders
Lighting	Full LED
Electrical	One Piece plug and play harness
Tool Box	Steel Lockable 36" x 18" x 18" with Tarp Basket
Adjustable Stops	(2) Moveable Nose roller stops
Wear Strips	36" Rail mounted wear strips

SRO 60 Technical Specification





Tie Downs	Dual Ratchet Tiedowns with 3" Straps
Safety Props	Quick Release rail mounted props
Back up Alarm	Audible rear mounted alarm
Warning Lights	Cab mounted PTO and raised rail warning light
Lubrication	Zerk fittings on all wear points

Options


Hitch	Pull or Pup Trailer Hitch Package
Full Fenders	Minimizer Full Tandem Polypropylene
Tarping System	Fully Automatic with adjustable Gantry
Bin Locks	Automatic Container Securement Hooks
Ground Roller	7" Diameter Rear frame roller
Pusher Axle	13,200lb Steerable Hendrickson
On Board Scales	Scale Systems for Air Ride or Mechanical Suspensions

SPARTAN TRUCK COMPANY

PRE PRODUCTION DIAGRAM - CONVENTIONAL CAB WITH DIESEL ENGINE



POST PRODUCTION DIAGRAM - CONVENTIONAL CAB WITH DIESEL ENGINE - MODEL SRO60SC
RAILS SET BACK 10" FOR FUTURE INSTALLATION OF TARPING SYSTEM












SPARTAN
TRUCK COMPANY, INC.






STANDARD SPARTAN FEATURES



-  30,000 LB CAPACITY
-  HIGH SPEED SINGLE CYLINDER REEVING SYSTEM
-  MODULAR DESIGN & STANDARDIZED PARTS
-  LIGHTWEIGHT DESIGN
-  HIGH STRENGTH DURABLE COMPONENTS
-  EASIER TO SERVICE BY DESIGN
-  QUICK LEADTIMES

SRO30

SPARTAN TRUCK COMPANY

 12266 Branford Street, Sun Valley, CA 91352
1441 N VIP Blvd, Casa Grande, AZ 85122

 (818) 899-1111
 (818) 897-4366

 info@spartantruck.com
 www.spartantruck.com




Since 1972, Spartan Truck Company has been the market leader in manufacturing waste equipment on the west coast. We are proud of our quick lead times, high quality components, & extremely durable Roll-Off systems, trailers and waste bodies.



Standard Specifications

Capacity	30,000 lbs
Rail type	Outside, Universal or In/Out
Cable	5/8" x 70'
Cable Strength	54,000 lbs approx
Hoist Cylinders	5.5" Bore, 2.5" Rod x 58" Stroke
Reeving Cylinder	6" Bore, 4" Rod x 80" Stroke
Outside Control Valve	Commercial VA35
Inside Control Valve	Air Operated Dual Levers
Operating Pressure	1800 PSI
Hydraulic Tank	40G with Sight & Temp gauge
Filtration	Suction Strainer & 25 Micron in tank return filter
PTO	Muncie/Chelsea Air Shift or Hot Shift
Pump	Direct Mount P51 2,500 PSI, 27GPM@1000rpm
Sheaves	10" with bronze bushings
Container Size	10' - 18'
Dump Angle	44 – 50 Degrees
Body Weight	4,700 lbs Approx
Frame Rails	4" x 8" x 3/8" Rectangular Tubing ASTM A500
Outside Frame	34 1/2" or 35 1/2"
Outside Rollers	(6) 4" OD x 3 1/2" with extractable pins.
ICC Bumper	Fixed or Manually moveable with locking pin
Fenders	Stainless Steel Polished Quarter Fenders
Lighting	Full LED
Electrical	One Piece plug and play harness
Tool Box	Steel Lockable 36" x 18" x 18" with Tarp Basket
Adjustable Stops	(2) Moveable Nose roller stops
Wear Strips	36" Rail mounted wear strips



Tie Downs	Dual Ratchet Tiedowns with 3" Straps
Safety Props	Quick Release rail mounted props
Back up Alarm	Audible rear mounted alarm
Warning Lights	Cab mounted PTO and raised rail warning light
Lubrication	Zerk fittings on all wear points

OPTIONS

Hitch	Equipment Trailer Package with Pintle or Reciever
Full Fenders	Minimizer Full Tandem Polypropylene
Tarping System	Semi Automatic with adjustable Gantry
Bin Locks	Automatic Container Securement Hooks
Ground Roller	7" Diameter Rear frame roller
On Board Scales	Scale Systems for Air Ride or Mechanical Suspensions
ICC Bumper	Automatic Air Operated ICC Bumper Bar

SPARTAN TRUCK COMPANY

12266 Branford Street, Sun Valley, CA 91352
1441 N VIP Blvd, Casa Grande, AZ 85122

(818) 899-1111
(818) 897-4366

info@spartantruck.com
www.spartantruck.com



SPARTAN
TRUCK COMPANY, INC.



STANDARD SPARTAN FEATURES

- NO CDL REQUIREMENT
- 15,000 LB. CAPACITY
- HIGH SPEED SINGLE CYLINDER REEVING SYSTEM
- MODULAR DESIGN & STANDARDIZED PARTS
- LIGHTWEIGHT DESIGN
- HIGH STRENGTH DURABLE COMPONENTS
- EASIER TO SERVICE BY DESIGN
- QUICK LEAD TIMES

SRO15

SPARTAN TRUCK COMPANY


12266 Branford Street, Sun Valley, CA 91352
1441 N. V I P Blvd. Casa Grande, AZ 85122

(818) 899-1111
(818) 897-4366

info@spartantruck.com
www.spartantruck.com



Since 1972, Spartan Truck Company has been the market leader in manufacturing waste equipment on the west coast. We are proud of our quick lead times, high quality components, & extremely durable Roll-Off systems, trailers and waste bodies



HIGH QUALITY HYDRAULIC COMPONENTS



INTEGRATED RAIL ROLLERS




SIMPLE ERGONOMIC CONTROLS


STANDARD SPECIFICATIONS

Capacity	15,000 Lbs.
Rail Type	Outside
Cable	5/8" X 65'
Hoist Cylinders	4" Bore, 2" Rod X 48" Stroke (3,000 PSI)
Reeving Cylinder	4" Bore, 2.25" Rod X 72" Stroke (3,000 PSI)
Outside Control Valve	Commercial VA20
Operating Pressure	1800 PSI
Hydraulic Tank	25G With Sight & Temp Gauge
Filtration	Suction Strainer & 25 Micron In Tank Return Filter
PTO	Muncie or Chelsea Air Shift Or Hot Shift
Pump	Permco Direct Mount 3,000 PSI, 12 GPM@1000 RPM
Sheaves	6" With Bronze Bushings
Container Size	10'- 18'
Dump Angle	37 - 45 Degrees
Body Weight	3,100 Lbs. Approx.
Frame Rails	3" X 8" Rectangular Tubing ASTM 500
Outside Frame	34 1/2" or 35 1/2"
Outside Rollers	(6) 4" OD X 3 1/2"
ICC Bumper	Fixed Or Manually Moveable With Locking Pin
Fenders	Stainless Steel Polished Quarter Fenders
Lighting	Full LED
Electrical	One Piece Plug & Play Harness
Toolbox	Steel Lockable 24" X 18" X 18" With Tarp Basket
Adjustable Stops	(2) Moveable Nose Roller Stops
Tie Downs	Dual Ratchet Tiedowns With 3" Straps
Safety Props	Quick Release Rail Mounted Props
Back Up Alarm	Audible Rear Mounted Alarm
Warning Lights	Cab Mounted PTO And Raised Rail Warning Light
Lubrication	Zerk Fittings On All Wear Points

SRO15 ROLL OFF HOIST TECHNICAL SPECIFICATION



16 FT RAIL WITH FUEL TANK BEHIND CAB



OPTIONS

Full Fenders	Full Poly or Steel Diamond Plate
Tarping System	Semi Automatic with Adjustable Gantry
Bin Locks	Air Operated Container Securement Hooks
Ground Roller	5" Diameter Rear Frame Roller
ICC Bumper	Automatic Air Operated ICC Bumper Bar
Camera System	Rearview HD Monitor & Camera System
Air Compressor	Electric Air Compressor for Inside Controls

SPARTAN TRUCK COMPANY

12266 Branford Street, Sun Valley, CA 91352
1441 N. V I P Blvd. Casa Grande, AZ 85122

(818) 899-1111
(818) 897-4366

info@spartantruck.com
www.spartantruck.com



SPARTAN
TRUCK COMPANY, INC.



STANDARD SPARTAN FEATURES

- 30,000 LB CAPACITY
- HAULS 10' AND 20' STANDARD STORAGE CONTAINERS
- HIGH SPEED DUAL CYLINDER REEVING SYSTEM
- HEAVY DUTY DESIGN
- INTEGRATED HORIZONTAL AND VERTICAL LOCKING MECHANISM
- QUICK LEAD TIMES

SCH30

SPARTAN TRUCK COMPANY

12266 Branford Street, Sun Valley, CA 91352
1441 N. V I P Blvd. Casa Grande, AZ 85122

(818) 899-1111
(818) 897-4366

info@spartantruck.com
www.spartantruck.com



Since 1972, Spartan Truck Company has been the market leader in manufacturing waste equipment on the west coast. We are proud of our quick lead times, high quality components, & extremely durable Roll-Off systems, trailers and waste bodies



HORIZONTAL LOCKING PINS



CONTAINER GUIDE ROLLERS



LOAD POCKETS AND SLIDING TIEDOWNS

STANDARD SPECIFICATIONS

Capacity	30,000 Lbs.
Rail Type	Container Delivery Flatbed
Cable	5/8" X 77'
Hoist Cylinders	6" Bore, 4" Rod X 58" Stroke
Reeving Cylinder	5.5" Bore, 2.5" Rod X 80" Stroke
Outside Control Valve	Commercial VA20
Operating Pressure	1800 PSI
Hydraulic Tank	25G With Sight & Temp Gauge
Filtration	Suction Strainer & 25 Micron In Tank Return Filter
PTO	Muncie or Chelsea Air Shift Or Hot Shift
Pump	Permco Direct Mount 3,000 PSI, 12 GPM@1000 RPM
Sheaves	6" With Bronze Bushings
Container Size	(2) 10' or (1) 20'
Dump Angle	37 - 45 Degrees
Body Weight	9,500 Lbs. Approx.
Frame Rails	3" X 8" Rectangular Tubing ASTM 500
ICC Bumper	Fixed
Fenders	Stainless Steel Polished Quarter Fenders
Lighting	Full LED
Electrical	One Piece Plug & Play Harness
Toolbox	Steel Lockable 24" X 18" X 18" With Tarp Basket
Tie Downs	Dual Ratchet Tiedowns With 3" Straps
Safety Props	Quick Release Rail Mounted Props
Back Up Alarm	Audible Rear Mounted Alarm
Warning Lights	Cab Mounted PTO And Raised Rail Warning Light
Lubrication	Zerk Fittings On All Wear Points
Locking Mechanism	Integrated Horizontal/Vertical Pins
Forklift Pockets	Bed Cut Outs for Forklift Access
Container Guides	(2) Feed Rollers & Flared Tail
Fixed Stops	Integrated Flatbed Block Stops



HEAVY DUTY LIFT MECHANISM



CABLE TROUGH FEED

OPTIONS

Cab Protector	Gantry Mounted Rear Window Protection
Storage	Cone Holders and Storage Baskets
Bed Access	Custom Steps for Bed Access
On Board Scales	Scale Systems for Air Ride or Mechanical Suspensions
Camera System	LED Monitor and Rearview Camera System

SPARTAN TRUCK COMPANY

12266 Branford Street, Sun Valley, CA 91352
1441 N. V I P Blvd. Casa Grande, AZ 85122

(818) 899-1111
(818) 897-4366

info@spartantruck.com
www.spartantruck.com

SPARTAN
Quality, Engineering, Value

Bin Locks!

★ Low Maintenance ★ ★ Air Activated ★ ★ PTO Controlled ★




Call us to install today!
(818) 899-1111



12266 Branford Street • Sun Valley, CA • 91352
Between San Fernando Rd. & Glenoaks Blvd.



QUICK-SWAP ROLLER ASSEMBLY






KEY FEATURES:

- 5" HARDENED STEEL ROLLER
- 2" QUICK RELEASE PIN ASSEMBLY
- HEAVY DUTY ROLLER HOUSING
- INTEGRATED GREASE FITTING
- REDUCED REPLACEMENT TIME

SAVE TIME = SAVE \$\$

REPLACING YOUR OLD ROLLERS
HAS NEVER BEEN EASIER





SPARTAN

TRUCK COMPANY, INC.

TARPING SYSTEM PRODUCT INFORMATION



There's a reason we're on top.

Pioneer Rack 'n Pinion®



The Pioneer Rack 'n Pinion® is the **waste industry's go-to tarping system** for one reason - it has **over a decade of proven reliable performance** under the most punishing applications. That's why top national haulers trust their fleets to Pioneer. Because we're so confident in the Rack 'n Pinion's performance, we've backed it with an **industry leading 5-year warranty*** that cheap look-alike systems can't match.

Imitation may be the sincerest form of flattery, but don't risk your fleet's uptime with poorly designed knock-off tarping systems with no track record of performance. **Trust the original Pioneer Rack 'n Pinion** tarping system for worry-free performance year in and year out.

10 Boulder Pkwy.
N. Oxford, MA 01537

866-353-5826

pioneersales@wastequip.com
www.pioneercoverall.com



Rack 'n Pinion®

Models

RP4500SAR

- Fixed gantry
- Covers containers up to 24' in length



RP4500SARG

- Telescopic gantry
- Covers containers up to 24' in length



RP4500SATR

- Designed for trailers
- Telescopic gantry
- Covers containers up to 32' in length



Rack 'n Pinion®

Rugged design

The Rack 'n Pinion® pivot design provides consistently precise tarp movement. With tough, hydraulically powered steel arms, the Rack 'n Pinion is the only choice for tough waste hauling jobs.

Durable mounting arm channel



Mounting arm channels reinforce the flex area, preventing cracking.

Worry-free rack gear weldment



Rack gear weldment eliminates the need for a rack gear cylinder strap and reduces maintenance. A 3/8" self-lubricating polymer bearing is designed to last the life of the arm, but can be easily replaced if needed.

Reinforced pivot point protects tarp arms



Double-wall tombstone pivot point mounting hole is 1/2" thick, keeping tarp arms securely on the rear of the container without bouncing, reducing the potential for costly damage.




Strong arms provide longer service life

Arms are 3/16 A500B steel with 1/4" extended, reinforced "C" channel. Telescoping arms have 36" stroke and nitrited rod cylinders, reducing corrosion.

Ease of maintenance

Stabilizer bar


Offset stabilizer bar virtually eliminates roller damage with redesigned stabilizer bar with reinforced mounting bracket and enhanced tarp anchor tube retention system are designed to withstand constant abuse while eliminating premature failures or breakage.



Tarp roller shaft bushing

Spring loaded Everlast roller assembly with increased inside diameter of the roller shaft bushing allows for easier preloading and prevents the tarp from seizing. Reduces maintenance and downtime due to repair or replacement.

Tarp anchor tube enhances safety



Tarp anchor tube cap with inner shaft extension enhances safety by preventing the tarp anchor tube from pulling out of the roll rest.

Quick tarp attachment



Durable, professionally threaded bolt takes the guesswork out of attaching the tarp.

Swivel hose clamp



Hydraulic hoses easily snap into the slotted, pivoting hose holder for easy replacement. Nylon zip ties provide added security.

Cylinders mounted externally



Cylinders mounted externally for maximum accessibility and maintenance

Cylinders mounted externally



Upper extension arm makes it easier to preload the spring roller and minimize the potential for the tarp roller shaft to seize in the arm bushing



Heavy duty mesh tarp is standard



Clear, permanent model identification



Riveted-style serial number plate allows for permanent identification of a unit

Trash brush




Optional trash brush closes the gap between stabilizer bar and tarp roller.

Hydraulic flow divider valve




Hydraulic flow divider valve works on all hoist systems. It has a standard aluminum body rated at 3,800 psi and provides flows up to 50 gpm with full relief valve protection.

Gantry



Gantry comes standard with light mounting brackets and a tube to run electrical wiring through for the lights.



**Parts available online at
www.pioneercoverall.com/parts**





Pioneer® is a Wastequip® brand. Wastequip is the leading North American manufacturer of waste and recycling equipment for collecting, processing and transporting recyclables and solid or liquid waste.
© Wastequip 2017 All rights reserved. Specifications subject to improvement without notice. Equipment displayed should be operated by properly trained personnel. Operators should become familiar with OSHA, ANSI and any other applicable standards or laws for using this equipment. Improper use, misuse, or lack of maintenance could cause injury to people and/or property. Photos used in the literature are illustrative only. We assume no liability or responsibility for proper training/operation of equipment not manufactured by Wastequip. We reserve the right to make changes at any time without notice. Information contained within this literature is intended to be the most accurate available at time of printing.

PIN001-022018


REPLACEMENT PARTS FOR SWAT® [P/N 1809285]

SWAT System Kit: Base (P/N 1809230) | Wet (P/N 1809285) | R/C (P/N 1809400)

NO.	DESCRIPTION	DONOVAN P/N	COMPETITOR P/N
1	Stabilizer Bar	1808873	HR4753
2	Replacement Roller Bar	1803805	H7002C
3	Tarp Roll Base Rest	1808872	HR4505-2
4	Tarp Tube Bracket	1808866	HR4756
5	Tarp Tube Cap	1809148	HR4757
6	Ratchet Pawl	1809209	HR4788
7	Gantry Cylinder Clevis Eye	1808869	H7032
8	Tarp Tube	1808865	HR4758-2
9	Pawl Torsion Spring	1808851	HR4786
10	Ratchet Pawl Bushing	1808875	HR4787
11	Ratchet Guard Assembly	1809009	HR4789
12	Upper Arm	1808874	HR4751
13	Gantry Telescoping Leg	1808871	HR4512
14	Clevis Pin - 1" OD	1809013	H7062
15	Gantry Base Frame	1808868	HR4511
16	Gantry Cylinder - 36" Stroke	1808891	HR4520
17	1" Shaft Locking Collar	1808855	HR4624
18	Lower Arm	1808879	HR4750

NO.	DESCRIPTION	DONOVAN P/N	COMPETITOR P/N
19	Lower Arm Cylinder - 36" Stroke	1808892	HR4752
20	Pivot Gear Arm	1808887	HR4760
21	Square End Plug	1808846	HR4548A
22	Complete Gear/Pivot Assembly - Left Side	1809355	HR4762A
23	Complete Gear/Pivot Assembly - Right Side	1809360	HR4761A
24	Pivot Pin Assembly	1809168	A3881
25	Rack Cylinder Mounting Pin	1808883	A3883
26	Cylinder Loop Strap	1808881	HR4731
27	Rack Cylinder Connecting Pin	1809014	D18836
28	Castle Nut	1809169	HR4785
29	Pivot Hose Guide	1808859	HR4728
30	Rack/Pivot Cylinder - 16" Stroke	1808890	HR4719
31	Rack Gear	1808886	A3868B
32	Brush Weldments - Left	1809366	N/A
33	Brush Weldments - Right	1809367	N/A

Replacement Tarp - 9'8" x 28' Mighty Mesh®	1801640	HR4616
"Fits All" Replacement Tarp - 8' x 28' Mighty Mesh®	1801686	N/A
SWAT Wet Kit HDW	1809232	N/A
SWAT R/C HDW	1809398	N/A



Contact an Authorized Donovan Dealer Near You!

ROLL-OFF TARP SYSTEM



SWAT® is a fully adjustable automatic tarping system for 15 to 40 cubic yard containers. Designed with the end user in mind, the SWAT® was engineered to surpass all established technologies in the industry, thereby delivering maximum uptime and safety at a competitive price.



2309 Shur-Lok St.
Yankton, SD 57078
P: 800-327-8287
www.donovan-tarps.com





BUILT TO BE THE BEST



Gear and Rack

Precision-cut/built gear and rack ensures smooth, synchronous arm movement as intended. Eliminates gear slippage and pivot arm twisting. Increased longevity/decreased downtime.

Flanged & Bolted Gear Pin

A flanged gear pin is bolted to the pivot housing. This prevents pin loss and enhances pivot arm security and smooth rotation.

Bolt-Less Tarp Attachment

A high-quality roller bar design allows for fast and secure tarp attachment. Durable bearings contribute to longer service life. Three attachment options include spline, square nut and threaded slot.

ADDITIONAL FEATURES

Hard-Pipe Cylinders

— The hard-pipe cylinders with nitride coated rods reduce chances of hose damage.

Mighty Mesh®

— The strongest truck tarp material on the market today.

LiteALL® (Option)

— Durable light with diecast aluminum housing.

Floodlight Mounting Brackets

— Gantry light mounting brackets and wiring protection tube are pre-installed.

Tower Mount Plates

— Wider tower mount plates fit more hoist configurations, cutting down on installation time.

BENEFITS

- SWAT® replacement parts are completely compatible with competitor rack and pinion system parts.
- Powder-coated parts provide premium finish and protection.
- 3/16" A500B steel arms, gussets and brackets engineered with exceptional durability to withstand demands of the industry.

- Low-profile arms avoid damage from wide containers and compactors.
- Quick-release tarp tube and standard tarp spline make tarp replacement a quick and easy, 1-person job.



SYSTEM WARRANTY

**3
YEAR***

STEEL
COMPONENTS
AND TARP
ROLLER SPRING

**1
YEAR***


HYDRAULIC
VALVES

**90
DAYS***

TARP


*From original Shur-Co® invoice date. Warranty against defects in material and workmanship. Details included in SWAT® Owner's Manual.

8' x 28' Mighty Mesh® Fits All Tarp (P/N 1801686)



- Rectangular 8' x 28' construction
- Replacement tarp fits all brands of hydraulic roll off tarper
- Made of Mighty Mesh®...strongest tarp mesh available
- Tapered pocket end for ease of installation and enhanced appearance

9' 8" x 28' Mighty Mesh® Flap Tarp (P/N 1801640)



- Made of Mighty Mesh®...strongest tarp mesh available
- Side flaps on tarp extend lateral coverage
- Pre-installed bungee cord retracts flaps for smooth roll up

Tarp sold separately from SWAT® system. Most popular designs are shown. Other designs available.

SWAT® SYSTEM OPTIONS



Self-Contained Remote

The SWAT® is now available with a new self-contained remote control, making it the only steel-arm pivot tarp system in the industry with a remote control option. The remote allows drivers to take safer positions with better visibility during tarp operation. Additionally, the self-contained design isolates the tarp's hydraulics, protecting the tarp system from debris or other possible contamination from the truck's hydraulics.



BUILT TO BE THE BEST.

HY-TOWER™

ALUMINUM TARP SYSTEM

D011FL-0819



STANDARD FEATURES

- 12V Self-Contained Electric/Hydraulic Power Unit
- Aluminum Leg Mast/15' Lift - Standard on P/N 1801019
- Steel Leg Mast/12' Lift - Standard on P/N 1803900
- Nylon-Coated Cable Assembly
- Spring-Loaded Extruded Aluminum Roller Bar

HY-TOWER™

THE WASTE INDUSTRY'S NUMBER ONE ARMLESS TARPER

The Hy-Tower™ semi-automatic roll-off tarp system covers containers from 15 to 40 cubic yards, with a gantry that raises either 12 or 15 feet above the truck frame and then tucks compactly behind the cab during transport. The light-weight, easy-to-handle, extra-wide 100-inch tarp allows you to quickly contain heaping loads from the safety of the ground. You just raise the tower, deploy and secure the tarp, lower the tower and hit the road!

Hydraulics for the system are self-contained and require minimal maintenance, and care is especially easy with no pivot arms to bend or break. The Hy-Tower™ comes preassembled for easy installation and weighs only 450 pounds installed! Durable and built to last, the springs are backed by a lifetime warranty. Kits contain hardware only. The knitted mesh tarps, with or without flaps, will fit any of the HyTower™ kits.

FITS BOXES & TRAILERS - UP TO 40 Cu. Yd.

Complete system part numbers with options.

PART NO.	KIT NAME	GANTRY	NO. OF LEGS		ELECTRICS
1801019	Hy-Tower™ SL	Aluminum	1	15'	Toggle Switch
1803900	Hy-Tower™ DL	Steel	2	12'	Toggle Switch



DONOVAN-TARPS.COM

PH. 800-327-8287

Armless Tarping Systems

as Easy as ...

Cover 20, 30, 40 yd containers!

1 ...

RAISE the GANTRY



2 ...

DEPLOY the TARP



3 ...

**TIE DOWN the TARP,
LOWER THE GANTRY**

you're good to go!



Order on the web
www.pioneercoverall.com
1-800-237-0225

Gantry raises over 13 feet.

The HR2000 **HI-ROLLER**™

Patent #6,896,312 B2



The HR2000 HI-ROLLER

features both an audio and a visual “up-gantry” alarm system, located in the cab for maximum security and safety.

GANTRY FEATURES:

- ◆ Two-stage heavy duty cylinder extends the gantry to 13 feet.
- ◆ Sections deployed through bearing rings, minimizing play between stages. SMOOTH, QUIET OPERATION!
- ◆ Strong, self-contained support members - NO ADDITIONAL GUSSETING!
- ◆ Fewer moving parts - NO CHAINS, SPROCKETS or PULLEY MECHANISMS!

Pioneer Consolidated Corp. reserves the right to make changes in design, materials and specifications without notice and without liability thereof.



Roller Assembly

The **HR2000 HI-ROLLER** is a semi-automatic armless tarping system with a hydraulic gantry that adjusts from 68 to 154 inches. It is powered by either a 12 volt self-contained power pack or the truck's PTO.

The driver simply raises the gantry, flips the rope above the container, walks to the rear of the truck and pulls the cover over the load. The heavy duty mesh tarp is 31' x 8' wide.

The deployment rope features a pigtail tie-down system - no loose or hanging rope when the operator drives away!

Power Options



Distributed by:

pioneer cover-all™
...Tarping Solutions



SPARTAN

TRUCK COMPANY, INC.

SCALE SYSTEM PRODUCT INFORMATION

SOLUTIONS FOR ROLL OFF TRUCKS

AirWeigh
ON-BOARD SCALES



Dash Display

Sensors

An investment in safety, vehicle life and profit

**Avoid overloading
with real time
weights in the field**

**Make appropriate
disposal site
decisionss**

**Reduce Maintenance
Cost for Vehicle Wear
and tear**

- Easy to install and calibrate
- Accurately measures steer and drive axle group weights and GVW
- Integrate with third party on-board computer and LoadMaxx App
- Compensation for temperature and altitude change
- Available for air-ride and most mechanical suspensions
- Easily set warning alarms for exceeding weights

Easy to operate

The convenient in-dash display accurately shows the steer and drive axle weights, GVW and NET payload for both air and mechanical suspensions. Simply install the scale in the cab, install sensors and connect power to the vehicle. Load your truck, check your weights - it's that easy.



DISPLAY

Digital 2" round in-dash

CALIBRATION

Dual-point, PIN Protection

WEIGHTS

Accurately measures steer, drive, axle group weights, GVW, and net payload

INTEGRATION

Integrate with third party on-board computer software

ALARM

Two outputs with warning and target weight thresholds

OPERATING TEMPERATURE

0° - 50°C / -40° - 185°F

ACCURACY

300 lbs - Air Suspension
3% - Mechanical Suspension

WARRANTY

3-Years, Made in the USA

SOLUTIONS FOR DUMP TRUCKS

Air-Weigh ON-BOARD SCALES



Dash Display



Sensors

An investment in safety, vehicle life and profit

Avoid overloading and lost HOS with real time weights in the field

Maximize payloads and view weights in the cab or on any smart device with the LoadMaxx app

- Easy to install and calibrate
- Accurately measures steer and drive axle group weights and GVW
- Integrate with third party on-board computer and LoadMaxx App
- Compensation for temperature and altitude change
- Available for air-ride and most mechanical suspensions
- Easily set warning alarms for exceeding weights

Easy to operate

The convenient in-dash display accurately shows the steer and drive axle weights, GVW and net payload for both air and mechanical suspensions. Simply install the scale in the cab, install sensors and connect power to the vehicle. Load your truck, check your weights - it's that easy.



DISPLAY

Digital 2" round in-dash

CALIBRATION

Dual-point, PIN Protection

WEIGHTS

Accurately measures steer, drive, axle group weights, GVW, and net payload

INTEGRATION

Integrate with third party on-board computer software

ALARM

Two outputs with warning and target weight thresholds

OPERATING TEMPERATURE

0° - 50 °C / -40° - 185 °F

ACCURACY

300 lbs - Air Suspension
3% - Mechanical Suspension

WARRANTY

3-Years, Made in the USA

SOLUTIONS FOR FRONT END LOADERS

Air-Weigh
ON-BOARD SCALES

**Proximity
Switches**



Defection Sensor

**In-Dash Display
components**



An investment in route profitability and vehicle life

**Know individual commercial
container weights and identify
non-profitable accounts**

**Track weights, pickup
and locations. View
weights in cab instantly**

- Easy to install and calibrate
- Arm mounted design optimizes durability and reduces calibration frequency
- Accurately measures individual commercial container weights on each lift
- Integrate with third party on-board computer
- No requirement to replace OEM forks or fork tubes
- Does not change driver's normal lifting routine

Easy to operate

Whether you simply need to know your weights in the cab or want to integrate with on-board route management software, Air-Weigh on-board scales provide the data you need to run your business efficiently and make educated decisions on non-profitable accounts.



DISPLAY

Digital 3" back-lit, dash display
Optional printer to record all or selected bin weights

CALIBRATION

Dual-point, PIN Protection

WEIGHTS

Accurately measures each container's content weight on lift

INTEGRATION

Integrate with third party on-board computer software

OPERATING TEMPERATURE

0° - 50° C / -40° - 185° F

ACCURACY

Weight increments of 20 lbs




WARRANTY


3-Years, Made in the USA




UNIVERSAL RAIL PRODUCT INFORMATION

SPARTAN TRUCK COMPANY – UNIVERSAL RAIL DESIGN







A – Slide OD	45 1/4"
B – Rail OD	34 1/2"
C – Slide Width Channel OD	10"

D – Slide Height Channel OD	3"
E – Rail Height OD	10"
F – Rail Width OD	4"

Spartan Truck Company, Inc.
 12266 Branford Street
 Sun Valley, CA 91352

Universal Rail Drawing

Approved by: _____

Printed: _____



SPARTAN

TRUCK COMPANY, INC.

SPARTAN ROLL OFF VALUE

Amrep

Hoist Cylinders: 78" x 5.5" Bore x 3" Rod



Dump Angle 42 Degrees



Spartan

Hoist Cylinders 86" x 6" Bore x 4" Rod



Dump Angle 44 - 50 Degrees



Amrep

Small Dual Cylinder Reeving 6" Bore, 3" Rod 2500 psi



Welded Fixed Reeving Covers



Spartan

High Capacity Single Cylinder Reeving 7" Bore 4" Rod 3700



Bolted Two Piece Removable Covers



Amrep

Cable Securement: Eyelet with 4 Cable Clamps



Spartan

One Piece Block with Wedge & Ferrule



Pair Link Cable End with Side Hook



Master Link with Centered Hook



Amrep

One Piece Lightbar with No Side Light Protector



No Rear Wear Strip & Small 1/4" Shoe



Spartan

Universal Lightbars with Side Light Protection



High Strength 36" Wear Strip with Wrapped 5/8" Shoe



Amrep

Old Style Through Pin Roller



Spartan

Quick Release Roller Assembly



Toolbox with No Lock and Unusable Basket




Toolbox with Keyed T Handle Lock with Rear Expanded Metal Storage




Amrep

12" x 4" x 3/8" Main Frame (Sits Higher & Heavy)



Safety Stand Securement - Rubber Strap



Spartan

10" x 4 x 3/8" Main Frame (Sits Low & Light)



Safety Stand Securement - Spring Loaded Latch



Amrep

Single Function Inside Control Box



Lightweight ICC Bumper Bar



Spartan

Dual Function Control with Brushed Steel Console



Heavy Duty ICC Bumper Bar



Amrep

Raised Rear Fenders (Bin Wheel Magnet)



Spartan

Low Profile Rear Fenders



Weight Benefits - MPG Efficiency

**Spartan
6,058 lbs**

**Amrep
6,900 lbs**

"Every 10% drop in truck weight reduces fuel use between 5 and 10 Percent"

" Spartan Body 12.2% Lighter than Amrep, Total Truck Weight 3.9% Lighter"

" Spartan Body Fuel reduction of 2.34%"

Spartan Roll Off

20,900 lbs

50,000 miles per year

Average 4.094 MPG

12,213 Gallons

\$4.00 Per Gallon

Cost Per Year \$48,852

Annual Fuel Saving - \$1,148

Gallons Saved - 287

Carbon Footprint - CO2 Savings 2.92 Metric Tons

Amrep Roll Off

21,742 lbs

50,000 miles per year

Average 4.000 MPG

12,500 Gallons

\$4.00 Per Gallon

Cost Per Year \$ 50,000



SPARTAN

TRUCK COMPANY, INC.

**SUPER 10 & DUMP BODY PRODUCT
INFORMATION**

SPECIFICATIONS

SINCE 1972



SPARTAN
TRUCK COMPANY, INC.

DIMENSIONS AND CAPACITIES							
LENGTH (Feet)	HEIGHT (Inches)			BODY WIDTH (Inside/Outside)	BODY CAPACITY (Cubic Yards)	USABLE CHASSIS C/T (Inches)	AFTER FRAME LENGTH (Inches)
	HEAD	SIDES	TAILGATE				
18'	56"	42"	47"	90"	16 yd ³	164"	30"
19'	56"	42"	47"	90"	17 yd ³	176"	30"
20'	56"	42"	47"	90"	18 yd ³	188"	30"

STANDARD FEATURES

- BODY, HEADSHEET & TAILGATE ALL AR500 CONSTRUCTION
- DUMP GATE WITH LOCKING CHAINS
- BODY SAFETY PROP
- TAILGATE CYLINDER LOCK/LATCH MECHANISM COMBO
- COMPLETE ASSEMBLY IN BLACK OR WHITE COLOR
- COMPLETE LED LIGHTING
- INSIDE HOIST CABLE CONTROLS WITH SAFETY LOCKOUT
- SINGLE ACTING TELESCOPIC HOIST CYLINDER
- ELLIPTICAL BED DESIGN
- EXTERIOR BED STEPS

AVAILABLE OPTIONS

- TRAILER HITCH
- ELECTRIC TARPING SYSTEM - TOP MOUNTED
- SPOT LIGHTS & BEACONS
- CUSTOM PAINT
- DITCH GATE
- BACK-UP CAMERAS
- HENDRICKSON & RIDEWELL PUSHER AXLES
- SCALE SYSTEMS

ATLAS SUPER 10



12266 Branford St. Sun Valley, CA 91352 • (818)-899-1111
1441 N. VIP Blvd. Casa Grande, AZ 85122 • (602)-584-5001
www.spartantruck.com | info@spartantruck.com



SPARTAN
TRUCK COMPANY, INC.

ATLAS SUPER 10

BUILT RIGHT, RIGHT NOW!



SPARTAN
TRUCK COMPANY, INC.

CONSTRUCTED OF ALL AR500 MATERIAL



SPARTAN SUPER 10 CONFIGURATION


2021 PETERBILT 348 (VIN: 767884) - PX9 ENGINE, ALLISON 3000RDS TRANSMISSION

WEIGHT

START WEIGHT - 17,108 LBS
FINISH WEIGHT - 23,580 LBS
BODY WEIGHT - 6,472 LBS

CAPACITY

24' BRIDGE (4 AXLES) = 58,000LBS
TRUCK & BODY WEIGHT = 23,580 LBS
NET PAYLOAD - 34,420 LBS / 17.2 TONS





SPARTAN
TRUCK COMPANY, INC.



STANDARD SPARTAN FEATURES

- AR500 BODY, HEADSHEET, AND TAILGATE
- DUMP GATE WITH LOCKING CHAINS
- BODY SAFETY PROP
- TAILGATE CYLINDER LOCK/LATCH MECHANISM COMBO
- SINGLE ACTING TELESCOPIC HOIST CYLINDER
- ELLIPTICAL BED DESIGN
- EASIER TO SERVICE BY DESIGN
- QUICK LEAD TIMES

**SINGLE AXLE
DUMP BODY**

SPARTAN TRUCK COMPANY

📍 12266 Branford Street, Sun Valley, CA 91352
1441 N. V I P Blvd. Casa Grande, AZ 85122

☎ (818) 899-1111
FAX (818) 897-4366

✉ info@spartantruck.com
🌐 www.spartantruck.com




Since 1972, Spartan Truck Company has been the market leader in manufacturing waste equipment on the west coast. We are proud of our quick lead times, high quality components, & extremely durable Roll-Off systems, trailers and waste bodies



STANDARD SPECIFICATIONS

Body Weight	(12') 4,200 lbs. Approx.
Body Size	10' - 16'
Body Construction	1/4" AR500
Hoist Cylinder	Single Acting Telescopic Trunnion Mount 2500 PSI
Inside Controls	Air Controls or Cable Controls
Operating Pressure	2200 PSI
Hydraulic Tank	Aluminum 35 Gal. with Sight and Temp Gauge
PTO	Muncie/Chelsea Air Shift for Manual Transmission
Pump	Muncie Dump Pump
Fenders	Sloped Design for Shedding of Debris During Transport
Lighting	Full LED
Electrical	One Piece Plug & Play Harness
Safety Props	Frame Mounted Safety Props
Back-Up Alarm	Audible Rear Mounted Alarm
Warning Lights	Cab Mounted PTO & Raised Body Warning Light
Lubrication	Zerk Fittings on All Wear Points
Paint	Standard Gloss Black or White Enamel
Tarping System	Electric Tarping System Top Mounted

SINGLE AXLE DUMP BODY TECHNICAL SPECIFICATION



OPTIONS

Hitch	Equipment Trailer Package with Pintle
Chipper Bar	Rear Mounted Chipper Bar
On Board Scales	Scale Systems for Air Ride or Mechanical Suspensions
Custom Paint	Custom Standard Color or Metallic
Toolbox	18" - 24" Protech Step Box
Ditch Gate	Ditch Gate Cut Into Rear Tailgate
Treadplate	Protech Frame Mounted Tread Plate
Spotlights	(2) Rear Facing Flood-Lights Apron Mounted
Strobe Lights	(2) Oval Strobe Lights Tailgate Mounted
Marker Lights	(6) Additional 2" Side Mounted Marker Lights
Camera System	Safety Vision Camera System, 7" LED Monitor
Bed Vibrator	Earthquake Industries DC 4000 Bed Vibrator
Ladder	Custom Fold Down Body Ladder

SPARTAN TRUCK COMPANY


12266 Branford Street, Sun Valley, CA 91352
1441 N. V I P Blvd. Casa Grande, AZ 85122

(818) 899-1111
(818) 897-4366

info@spartantruck.com
www.spartantruck.com

SPARTAN 12' DUMP CONFIGURATION

2021 PETERBILT 337 (33K) (VIN: 767884) PX9 ENGINE, ALLISON 3000RDS TRANSMISSION





WEIGHT

START WEIGHT - 10,998 LBS
FINISH WEIGHT - 15,160 LBS
BODY WEIGHT - 4,162 LBS

CAPACITY

16' BRIDGE (2 AXLES) - 33,000 LBS
TRUCK & BODY WEIGHT - 15,160 LBS
NET PAYLOAD - 17,840 LBS / 8.9 TONS






SPARTAN

TRUCK COMPANY, INC.

SUPERTAG PRODUCT INFORMATION

SPECIFICATIONS

SINCE 1972



DIMENSIONS AND CAPACITIES

LENGTH (Feet)	HEIGHT (Inches)				BODY CAPACITY (Cubic Yards)	USABLE CHASSIS C/T (Inches)	AFTER FRAME LENGTH (Inches)
	HEAD	SIDES (Front)	SIDES (Rear)	TAILGATE			
20'	47"	47"	30"	45"	18 yd ³	179"	73"
21'	56"	56"	38"	53"	23 yd ³	179"	73"

STANDARD FEATURES

- BODY, HEADSHEET & TAILGATE ALL AR500 CONSTRUCTION
- DUMP GATE WITH LOCKING CHAINS
- BODY SAFETY PROP
- TAILGATE CYLINDER LOCK/LATCH MECHANISM
- COMPLETE ASSEMBLY IN BLACK OR WHITE COLOR
- COMPLETE LED LIGHTING
- INSIDE HOIST CABLE CONTROLS WITH SAFETY LOCKOUT
- SINGLE ACTING TELESCOPIC HOIST CYLINDER
- ELLIPTICAL BED DESIGN
- EXTERIOR BED STEPS

AVAILABLE OPTIONS

- TRAILER HITCH
- ELECTRIC TARPING SYSTEM - TOP MOUNTED
- SPOT LIGHTS & BEACONS
- CUSTOM PAINT
- DITCH GATE
- BACK-UP CAMERAS
- HENDRICKSON & RIDEWELL PUSHER AXLES
- SCALE SYSTEMS

SUPERTAG DUMP BODY



HIGH STRENGTH. DURABLE. MAXIMIZED PAYLOAD.



12266 Branford St. Sun Valley, CA 91352 • (818)-899-1111
1441 N. VIP Blvd. Casa Grande, AZ 85122 • (602)-584-5001
www.spartantruck.com | info@spartantruck.com



Spartan Truck Company



SPARTAN
TRUCK COMPANY, INC.

SUPERTAG DUMP BODY

BUILT RIGHT, RIGHT NOW!




SPARTAN
TRUCK COMPANY, INC.

Tailgate pivots at rear most bolster for conventional dumping.



Aluminum constructed tailgate cylinders with protective shield.



Cab shield curvature design reduces tarping system damage.



Exterior body steps with anti slip treadplate.



Trunnion mounted hoist cylinder provides improved stability during the unloading process.



Frame mounted safety prop.



Upright 35 gallon Aluminum hydraulic oil tank.



Self-cleaning elliptical design provides a lower center of gravity, greater stability, and ease of unloading at the construction site.



Automated tuck-away mudflaps.




**CONSTRUCTED OF
ALL AR500 MATERIAL**

SPARTAN SUPERTAG



7966 LBS 1/4" FLOOR, 3/16" SIDES

20,000 LBS SET FORWARD AXLE, AIR SUSPENSION, AIR SUSPENSION DUMP SWITCH, AIR OR ELECTRIC P.T.O. SWITCH, SET UP FOR REAR TAG AXLE-REGULATOR + GAUGE.



SPARTAN SUPERTAG CONFIGURATION


2021 PETERBILT 567 (VIN: 713426) PX9 ENGINE, ALLISON 3000RDS TRANSMISSION

WEIGHT

START WEIGHT - 15,701 LBS
FINISH WEIGHT - 24,861 LBS
BODY WEIGHT - 9,160 LBS

CAPACITY

29' BRIDGE (4 AXLES) - 61,500 LBS
TRUCK & BODY WEIGHT - 24,861 LBS
NET PAYLOAD - 36,639 LBS / 18.3 TONS




WEIGHT

START WEIGHT - 15,701 LBS
FINISH WEIGHT - 24,861 LBS
BODY WEIGHT (INCL TAG) - 9,160 LBS

CAPACITY


29' BRIDGE (4 AXLES) - 61,500 LBS
TRUCK & BODY WEIGHT - 24,861 LBS
NET PAYLOAD - 36,639 LBS / 18.3 TONS

**WEIGHT**

START WEIGHT - 17,108 LBS
FINISH WEIGHT - 23,580 LBS
BODY WEIGHT - 6,472 LBS

CAPACITY


24' BRIDGE (4 AXLES) = 58,000LBS
TRUCK & BODY WEIGHT = 23,580 LBS
NET PAYLOAD - 34,420 LBS / 17.2 TONS

**WEIGHT**

START WEIGHT - 10,998 LBS
FINISH WEIGHT - 15,160 LBS
BODY WEIGHT - 4,162 LBS

CAPACITY

16' BRIDGE (2 AXLES) = 33,000LBS
TRUCK & BODY WEIGHT = 15,160 LBS
NET PAYLOAD - 17,840 LBS / 8.9 TONS






SPARTAN

TRUCK COMPANY, INC.

OTHER LINE PRODUCT INFORMATION

STT 40 TRANSFER TRAILER


SPARTAN
Quality, Engineering, Value



Spartan Truck Company has been a leader in the manufacturing of Roll-Off trucks and trailers since 1973. We are proud of our quick order lead times, one of the best in the industry. We are known for our high quality components and extremely durable, low maintenance roll-off systems and trailers.


Significant Features

- High strength steel construction
- Axles rated at 25,000 lbs.
- Tare weight 8,900 lbs.
- LED plug and play lights
- Spare tire rack
- Gloss black enamel finish
- Dual Reeving system
- High strength steel toolbox



12266 Branford Street
Sun Valley, CA 91352
Phone (818) 899-1111
Fax (818) 897-4366
email sales@spartantruck.com
website www.spartantruck.com





Features

Chassis Frame	Unibody frame 8" x 4" x .375 (ASTM A-500) steel tubing
Outside Frame	34.5"
Container Size	12'-24' box
Weight	8,900 lbs
Payload	30,000 lbs (Approx). Weight & bridge laws vary by state.
Outside Rollers	4 per side (4" OD with 2" shafts)
LED Lights	Full LED
Adjustable Bin Stops	(2) Moveable nose roller stops
Rub Rails	3/8" x 3" roller guides (Full length of trailer)
Lubrication	High quality zerk fittings on all wear points
Tie Downs	(4) dual ratchet tie downs with 4" straps
Turn Table/Tongue	Turntable tongue hitch, 6" steel square tubing "A" frame type, 5/8" safety steel cable, brake release switch and manual winch for coupling
Wiring	Plug and play one piece harness
Suspension	Leaf springs front and rear suspension, 22,500 lb. minimum rating
Axles	5" round beam axle, 25,000 lb minimum rating
Paint	Gray primer base coating, gloss black enamel finish
Hub Wheels	Outboard (metric) type 10 hole, 11 1/4" diameter bolts
Brakes	16.5" x 7" AIE, "S" cam with automatic slack adjuster. ABS braking system
Wheels and Tires	Dual front and rear wheels: low profile 295/75R 22.5 on steel rims
Mud Guards	Front and rear mud guards installed on cross bar and rear bumper
Tongue Hoist	Air operated with additional hand winch
Bumper	Rear bumper with ICC navigation lighting DOT approved, brackets for mud flaps and container guide brackets

Options

Winch	Tulsa winch system with locking drum and cable
Tool Box	18" x 36" heavy duty steel tool box
Aluminum Rims	Machined or polished aluminum rims

SPT 40

SPARTAN
Quality, Engineering, Value



In today's environment of high and unpredictable fuel costs, high worker's compensation insurance rates, and high labor costs, Spartan's SPT 40 pup trailer is an excellent way to double your hauling capacity at 1/3 the cost of another truck. Additionally, both the container on the truck and the container on the trailer can be loaded and unloaded without the necessity to unhitch the SPT 40 trailer. The unloading time for this combination is exceptionally efficient.

Spartan Truck Company has been a leader in the manufacturing of Roll-Off trucks and trailers for the past 30 years. We are known for our high quality components and extremely durable, low-maintenance roll-off systems and trailers.

Significant Features

- Controls located both on the trailer and in the truck
- High strength steel rail tubes and high strength steel alloy rollers
- Load and unload and dump without disconnecting the pup trailer


Options

- Automatic Tarp system
- Full polyurethane fenders
- Hydraulic landing gear



12266 Branford Street
Sun Valley, CA 91352
Phone (818) 899-1111
Fax (818) 897-4366
email sales@spartantruck.com
website www.spartantruck.com





Features

Cable	3/4" x 77"
Cable Strength	66,800 lbs
Sheaves	10" Cast sheaves with 3" bronze inserts
Container Size	Up to 22'
Frame Rails	4" x 10" x 3/8" structural steel
Chassis Frame	Sub-frame 3/8 607 frame steel channel 10" x 34.5"
Rear Hinge	3/4" rear hinge plates welded to hoist sub frame, heat treated steel pins with zerks
Outside Frame	34.5" (optional 35.5)
Dump Angle	46 Degree
Weight	11,000 lbs
Payload	41,000 lbs maximum (based on truck axle assumptions: empty truck)
Outside Rollers	(6) 5" x 3.5" x 1.25" thru wall mount pins with zerks
Fenders	Quarter fenders
Lighting	LED Lights: 3-running lights, corner lights, brake and directional signal
Toolbox	Heavy duty toolbox with tarp basket
Adjustable Bin Stops	Moveable nose roller stops
Wear Strips	36" x 3" rail mounted wear strips
Lubrication	High quality zerk fittings – all wear points
Hoist Capacity	65,000 lbs
Hoist Cylinders	(2) 5.5" Bore x 2.5" Rod x 72" Stroke – Single Stage, Double acting
Reeving Cylinders	(2) 5.5" Bore x 2.5" Rod x 80" Stroke – Single Stage, Double acting
Tie Downs	Dual ratchet tie down with 4" straps
Safety Props	Quick release rail mounted props
Back up Alarm	Audible rear mounted alarm
Landing Gear	Manually cranked landing gear
Outside Controls	Dual lever hydraulically operated
Suspension	Transpro 3 leaf, 4 spring 45,000 lb
Axles	5" round beam axle, 25,000 lb minimum rating, 71.50 track, Spacing 49"
Paint	Gray primer base coating, gloss black enamel finish
Hub Wheels	Out board type 10 hole, 11 1/4 diameter bolt
Front Brakes	16.5" X 7" AIE, "S" cam with automatic slack adjuster
Rear Brakes	16.5" X 7" AIE "S" cam with automatic slack adjuster, and spring brakes
Wheels & Tires	11R / 22.5 on steel rims

Options

Tarping System, Inside Cab Controls, Aluminum Wheels, Hydraulic Landing Gear, Automatic Bin Locks, Full Fenders

SBT 10 5 BIN TRAILER

SPARTAN
Quality, Engineering, Value



Fast and Easy Bin Delivery

Product Advantages

- ◆ Excellent maneuverability
- ◆ Easily unhooks from truck
- ◆ No special license required
- ◆ Safe loading and unloading

Significant Features

- ◆ 5 Bin delivery trailer
- ◆ Heavy gauge steel superstructure
- ◆ Bin ratchet tie downs
- ◆ 5th wheel hookup (standard hitch available)
- ◆ Hydraulic landing gear (manual available)
- ◆ 10,000 lb. axle capacity
- ◆ 3,000 PSI hydraulic bin lift cylinders
- ◆ Diamond plate fenders
- ◆ Back up alarm and strobe light
- ◆ LED lights

Spartan Truck has been doing business for over 35 years. We build our units right with quick lead times and high quality components.

Spartan: Built right, right now!

12266 Branford Street
Sun Valley, CA 91352
Phone (818) 899-1111
Fax (818) 897-4366
email sales@spartantruck.com
website www.spartantruck.com




SPARTAN
TRUCK COMPANY, INC.

SCT
SCOUT TRUCK

"The Bin Bully"

SPARTAN
Quality, Engineering, Value



Move Bins Quickly and Safely

Product Advantages

- ◆ Safely moves bins not accessible to front loaders
- ◆ Excellent for low overhead clearance and narrow access
- ◆ Increases route efficiency and productivity
- ◆ Heavy duty unit provides durability and reliability
- ◆ Mounts to most pickup trucks

Significant Features

- ◆ System capacity: 2,500 lbs
- ◆ Strong and durable mast and bed construction
- ◆ Heavy duty hydraulic cylinders
- ◆ Inside pendant or dash mounted controls
- ◆ Bottom or side pocket configuration
- ◆ LED lights

Popular Options

- ◆ Leaf spring reinforcement
- ◆ Hydraulic fork stow
- ◆ Hydraulic fork positioning
- ◆ Tool box
- ◆ Half cab protector
- ◆ Outside controls

12266 Branford Street
Sun Valley, CA 91352
Phone (818) 899-1111
Fax (818) 897-4366
email sales@spartantruck.com
website www.spartantruck.com

Spartan Truck has been doing business for over 35 years. We build our units right with quick lead times and high quality components.

Spartan: Built right, right now!



Standard Features

System Capacity	2,500 lbs
Mast	4" x 4" x 1/4" reinforced steel tube
Lift Cylinder	Dual-acting 3,000 psi heavy duty
Mast Tilt	Hydraulic forward and reverse for bottom or side pocket containers
Forks Adjust	Manual side-to-side fork adjustment
Fork Tilt	Manual tilt into stow position
Pump	Premium quality electric over hydraulic power unit
Hydraulic Lines	Aeroquip high pressure hoses & fittings
Bed	2" x 2" frame, sheet metal, covers frame, metal fenders
Leaf Springs	Shorten to position mast closer to axle
Controls	Pendant control or dash-mounted switches
Lights	Full LED lights
Paint	Gray primer base coating, gloss black enamel finish

Optional Features

HD Leaf Springs	Reinforce leaf for strength
Outside controls	Electric switches mounted on driver side
Fork Tilt	Hydraulic vertical fork tilt
Fork Positioning	Hydraulic horizontal fork positioning
Beacon Light	Strobe/beacon light
Work Lights	2 bed mounted flood lights facing rear of unit with switch on dash
Tool Box	Heavy duty steel, side-opening
Cab Protector	Half cab, expanded or sheet metal
Rear Window Protector	Metal tube with expanded metal
Full Bed	Full width bed, width of cab, sheet metal
Bed Sides	6" high sheet metal sides
Diamond Plate	Available on all bed options
Pump Options	Clutch pump or PTO, if applicable
Custom Paint	Custom color finish over matched primer

12266 Branford Street
Sun Valley, CA 91352
Phone (818) 899-1111
Fax (818) 897-4366
email sales@spartantruck.com
website www.spartantruck.com



SCD/R

SPARTAN

Quality, Engineering, Value



For more than 30 years at the same location Spartan designs, engineers, manufactures, and markets Roll Offs and Trailers and now !!!

CONTAINER DELIVERY UNIT WITH ROTATOR LIFT

Unlike our competitors we thrive on providing products that are Dependable, Tough, and easy to operate and maintain. We have built our business by providing our customers with the highest quality products and services complying exactly with their operational and financial needs. Our Lean manufacturing initiatives have reduced significantly manufacturing times allowing us to deliver our products in the shortest lead time in the industry.

Significant Features

- Split steel platform covered with 32 gauge sheet metal
- Dual acting cylinder scissor slider
- Two stage Lift Mast with 3000# payload capacity
- 360 Degree Rotator
- Control valves inside and duplicate controls outside for:
 - Scissor slider front and back motion
 - Tilt Forward/Reverse motion
 - Up / Down motion
 - 360 Degree circular motion
- LED lights
- Mudguards

12266 Branford Street
Sun Valley, CA 91352
Phone (818) 899-1111
Fax (818) 897-4366
email sales@spartantruck.com
website www.spartantruck.com

Do you have an operations where you need to deliver full and empty 3 yd. containers without the high operating cost of using a large front Loader?

Spartan Container Delivery unit does it for you.



SPARTAN
TRUCK COMPANY, INC.

SPPI2 POWER POLE

SPARTAN
Quality, Engineering, Value



Spartan Truck Company has been a leader in the manufacturing of Roll-Off trucks and trailers for the past 30 years. We are proud of our quick order lead times, one of the best in the industry. We are known for our high quality components and extremely durable, low maintenance roll-off systems and trailers.

Significant Features

- Spacious overhead rack for hauling poles, fencing, etc.
- Danuser augers and Eaton motors provide reliable drilling capabilities
- Spooling mechanism for laying wire and cable
- (2) Spacious Utility Toolboxes
- Top-mounted Winch for moving heavy items
- All of the motors are hydraulic, with easily-accessible controls

12266 Branford Street
Sun Valley, CA 91352
Phone (818) 899-1111
Fax (818) 897-4366
email sales@spartantruck.com
website www.spartantruck.com





Full Eject Automated Side Loader



PERFORMANCE SPECIFICATIONS

Lift Capacity	2,000 Lbs.
Lift Cycle Time	8 Seconds
Lift Reach	96 Inches
Working RPM	750 [Diesel] 800 [CNG]
Compaction	Up to 900 Lbs. Per Yd ³

LIFT SPECIFICATIONS

Gripper Capacity	30-300 Gallon
Controls	Electronic over Hydraulic
Ground Clearance	15"
Weight	2500 Lbs.

*Weight Includes 30-300 Gal. Gripper

HYDRAULIC SPECIFICATIONS

Pump Type	Var. Displ. Piston Pump
Oil Reservoir	75 Gallon
Oil System Gross Capacity	90 Gallon
Body Operating Pressure	2200 PSI
Arm Operating Pressure	2200 PSI
Filters	
Return	10 Micron
High Pressure	10 Micron
Hydraulic Valve	Single 5k PSI 8 Stack Valve

BODY SPECIFICATIONS

Hopper Capacity	5 Yd ³
Tailgate Capacity	6 Yd ³
Roof	10 Gauge
Sides	
Lower	3/16" 80K Yld.
Upper	10 Gauge
Hopper Floor	1/4" AR500
Body Floor	3/16" AR500
Packer	1/4" AR500

STANDARD EQUIPMENT

- Automated Clean-Out from Behind Packer Blade
- 28 Yd³ Full Eject Body
- Hydraulic Hopper Cover
- Safety Interlocks (Warning Indicators)
- Constant Drive PTO
- In-Cab Rocker Switch Controls
- 7" Display Module for Functions with Controller
- Cable Driven Tailgate Locking Mechanism
- Rear & Front of Body Mudflaps
- Powdercoated Body
- DOT Compliant LED Lighting

OPTIONAL EQUIPMENT

- 31 Yd³ Full Eject Body
- Hot Shift PTO
- Front Mounted Pump
- Body Mounted Ladder
- Camera System
- Joystick Control
- Broom/Shovel Holder
- Hydraulic Oil Cooler
- CNG Systems [Spartan 300 is Low Profile]
- Custom Powdercoat Color


Spartan 300

Full Eject

Automated Side Loader

*The Industry's 1st Automated
Clean-Out Refuse Body**

**Patent Pending*



SINCE 1972

SPARTAN
TRUCK COMPANY, INC.

The Controls




*Modern, Proportional, Comfortable, & Most Simplistic
for Any Operator in the Field*

The Arm



- 2000 Lb. Continuous Lift Capacity
- 30-300 Gallon Container Grip Capability
- Pivot Point Designed to Minimize Kickout
- GlideX Zero Lubrication Wear Strips
 - Bolt on Panel for Ease of Lift Cylinder Maintenance

The Body



- Full Eject
- 5.5" Dia Bore Telescopic Cylinders Parallel Mounted
- GlideX Zero Lubrication Wear Strips



Innovation Still at Work



The Hydraulic System




- Single 8 Stack Hydraulic Valve for Body & Arm Functions
- Variable Displacement Piston Pump for On-Demand Oil Flow
- 75 Gallon Aluminum Hydraulic Tank




- Plumbed Completely with Hoses to Minimize Connections Eliminating Potential Leaks
- Low System Pressure at 2200 PSI
- System Utilizes 37° Flare JIC Fittings

The Automated Cleanout Process*




Follower Panel
Track Raised



Packer Blade
Retracted



Follower Panel
Track Lowered



Packer Blade
Extended

* Patent Pending